



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
| 10/773,451 | 02/09/2004 | Siaw Teck Sang | ATOCM-0347 | 3612 |

7590 08/03/2010
MILLEN, WHITE, ZELANO & BRANIGAN, P.C.
Arlington Courthouse Plaza 1
Suite 1400
2200 Clarendon Boulevard
Arlington, VA 22201

| |
|----------|
| EXAMINER |
|----------|

KRUER, KEVIN R

| | |
|----------|--------------|
| ART UNIT | PAPER NUMBER |
|----------|--------------|

1787

| | |
|-----------|---------------|
| MAIL DATE | DELIVERY MODE |
|-----------|---------------|

08/03/2010

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

| | | | |
|------------------------------|--------------------------------------|------------------------------------|--|
| Office Action Summary | Application No. 10/773,451 | Applicant(s) SANG ET AL. | |
| | Examiner KEVIN R. KRUER | Art Unit 1787 | |

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 11 May 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,4-8,10-13,15-20,22-25 and 27-32 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1, 4-8, 10-13, 15-20, 22-25 and 27-32 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 22 October 2007 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 6/11/2010 has been entered.

Specification

1. The following guidelines illustrate the preferred layout for the specification of a utility application. These guidelines are suggested for the applicant's use.

Arrangement of the Specification

As provided in 37 CFR 1.77(b), the specification of a utility application should include the following sections in order. ***Each of the lettered items should appear in upper case, without underlining or bold type, as a section heading.*** If no text follows the section heading, the phrase "Not Applicable" should follow the section heading:

- (a) TITLE OF THE INVENTION.
- (b) CROSS-REFERENCE TO RELATED APPLICATIONS.
- (c) STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT.
- (d) THE NAMES OF THE PARTIES TO A JOINT RESEARCH AGREEMENT.
- (e) INCORPORATION-BY-REFERENCE OF MATERIAL SUBMITTED ON A COMPACT DISC.
- (f) BACKGROUND OF THE INVENTION.
 - (1) Field of the Invention.
 - (2) Description of Related Art including information disclosed under 37 CFR 1.97 and 1.98.
- (g) BRIEF SUMMARY OF THE INVENTION.
- (h) BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING(S).
- (i) DETAILED DESCRIPTION OF THE INVENTION.
- (j) CLAIM OR CLAIMS (commencing on a separate sheet).

- (k) ABSTRACT OF THE DISCLOSURE (commencing on a separate sheet).
- (l) SEQUENCE LISTING (See MPEP § 2424 and 37 CFR 1.821-1.825. A "Sequence Listing" is required on paper if the application discloses a nucleotide or amino acid sequence as defined in 37 CFR 1.821(a) and if the required "Sequence Listing" is not submitted as an electronic document on compact disc).

.Claim Rejections - 35 USC § 103

2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

3. Claims 1, 4-7, 10-13, 15-17, 22-25 and 27-32 are rejected under 35

U.S.C. 103(a) as being unpatentable over Bothe et al (US 5,096,630) in view of EP 0258990 (herein referred to as Hope) and Tanaka et al (US 5,695,838).

Bothe teaches a multilayer structure comprising a polyethylene protective layer (col 5, lines 57+), a metallized layer, a polyolefin adhesive layer, an isotactic polypropylene core layer (col 2, lines 54+) with a thickness of 4-40um (col 4, lines 55+), and an outer heat sealable layer. The propylene core layer is biaxially oriented (col 2, lines 4+) and has a thickness of 4-40um (col 2, lines 1+). The metallic foil may comprise Al, Ag, or Zn and has a thickness of 20-600nm (col 5, lines 18+). The heat sealable surface layer (col 3, lines 45+) may comprise ethylene/propylene or ethylene/propylene/butylene and has a thickness of 0.2-3um (col 4, lines 55+).

Bothe is relied upon as above but does not teach the adhesive layers between the foil and the polypropylene and between the polyester and polypropylene may comprise the claimed tie layer composition. However, Hope teaches a polyolefin containing blend suitable for use as an adhesive. The blend comprises 20-80 parts by weight polypropylene (herein relied upon to read on component B), 10-50wt% linear low

Art Unit: 1787

density polyethylene (herein understood to read on component D) which may have a density of 0.92 (example 1), and 10-30pbw of a polypropylene grafted with ethylenically unsaturated carboxylic acid or derivative thereof. The graft is included in amounts of 0.001-30wt% (page 2, lines 12+). The blend should have a melt index around 2.5g/10min (see example 1) It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize the adhesive taught in EP as the adhesive taught in Bothe because said adhesive has excellent adhesion between polyolefin and polar substrates.

Hope is relied upon as above but does not teach that the graft copolymer may be replaced with a blend comprising (C1) and (C2). However, Tanaka teaches an adhesive composition comprising 50-90parts by weight of a modified polypropylene comprising a graft consisting of unsaturated carboxylic acid or derivative thereof and (b) 10-50pbw of a modified polyolefin comprising a graft consisting of an unsaturated carboxylic acid or derivative thereof (abstract). The polyolefin may comprise a metallocene catalyzed polyethylene (see examples) with a density of 0.86-0.93 (claim 1). The grafting ratio is 0.01-5wt%, which reads on the claimed content of claim 1. Each component has a melt flow between 0.5-30g/10min (col 4, lines 5+). Said blend has excellent adhesion, heat resistance, gas barrier properties and shrink properties (col 5, lines 17+). Thus, it would have been obvious to the skilled artisan at the time the invention was made to utilize the blend of Tanaka in place of graft component taught in Hope. The motivation for doing so would have been to increase the adhesion of the composition, the shrink properties, and the heat resistance.

Tanaka does not teach the polymers should be polymerized with a metallocene catalyst. However, it is generally known in the art that metallocene catalyst result in compositions with more uniform compositions and better properties. Therefore, it would have been obvious to the skilled artisan at the time the invention was made to polymerize the polymers taught in Tanaka with a metallocene catalyst in order to obtain a more uniform composition with improved properties.

Furthermore, the examiner takes the position that "co-grafting" is a method limitations that does not patentably distinguish the claimed invention from the prior art because there is no evidence of record that "co-grafting" results in a patentably different product. Specifically, the claimed composition and Tanaka both comprise blends of polymers which have been grafted.

4. Claims 8 and 18-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bothe et al (US 5,096,630) in view of EP 0258990 and Tanaka et al (US 5,695,838), as applied to claims above, and further in view of Moore et al (US 6,165,160)

Bothe teaches the use of polyethylene protective films over the metallized film but does not teach a printed biaxially polypropylene film may be utilized in place of the PE protective film. However, Moore teaches a metallized packaging film comprising a printed biaxially oriented polypropylene protective film is adhered thereto (col 2, lines 36+). Thus, it would have been obvious to the skilled artisan to adhere a printed biaxially oriented polypropylene film to the metallized film taught in Bothe. The

motivation for doing so would have been said layers are functionally equivalent to the polyethylene taught in Bothe.

Response to Arguments

Applicant's arguments have been fully considered but are moot in view of the new grounds of rejection.

With respect to the "co-grafted" limitation, applicant disagrees with the examiner's assertion that it is a method limitation that does not distinguish the claimed invention from a product wherein the backbones are separately grafted. In support of said position, applicant points to the data in the patent application. Specifically, applicant points to blend 4 comprising separately grafted polymers and notes the haze of the composition is insufficiently high. Said argument is noted but is not persuasive for reasons for record. Specifically, it is not clear that a single embodiment is sufficient to demonstrate unexpected results over the entirety of the claim scope.

Applicant's arguments with the examiner's conclusion the haze data is insufficient because it is drawn to a single layer, rather than a multilayer, embodiment are sufficient to overcome the examiner's position.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to KEVIN R. KRUEER whose telephone number is (571)272-1510. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Callie Shosho can be reached on 571-272-1123. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Kevin R Kruer/
Primary Examiner, Art Unit 1787